

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L31	7478	707/100,102,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 15:18
L30	2876	715/513,530,901.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 15:18
L29	25	(( assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 15:18
S67	1230	(number\$2 integer leter) same ((start begin\$4) and end\$4) same tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
S44	292	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (character)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
S43	12	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
L28	87	((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
L27	18	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38

L26	413	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (character)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
L25	1502	(number\$2 integer leter) same ((start begin\$4) and end\$4) same tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
L21	25	( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
L2	87	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:38
S86	26	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) near3 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:37
S72	137	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same (((start begin\$4) and end\$4) near2 tag\$2) and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:37
L24	177	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same (((start begin\$4) and end\$4) near2 tag\$2) and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:37
L23	413	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (character)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:37
L22	27	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) near3 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:37

S46	6	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))) not ((( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
S45	18	( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
S26	12	((tag\$2 near5 table\$2) same (edit\$4 near5 document\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
L20	211	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)) and ((start end) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
L19	7	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))) not ((( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
L18	18	((tag\$2 near5 table\$2) same (edit\$4 near5 document\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
L13	211	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)) and ((start end) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:36
S34	345	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:35
L17	593	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:35

L16	160	((edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:35
S42	714	( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S20	113	((edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S19	1188	(edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S17	45	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and ((tag\$2 anchor\$2) near5 overlap\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S16	97	((((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)) and ((start end) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S14	497	(tag\$2 near5 overlap\$4) and tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S12	46	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (tag near3 manage\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
L15	72	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and ((tag\$2 anchor\$2) near5 overlap\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
L14	1782	(edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
L12	777	(tag\$2 near5 overlap\$4) and tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34

L11	71	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (tag near3 manage\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
L10	1063	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:34
S65	60	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
S40	51	((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
S35	136	(((((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)) and (character\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
L9	77	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
L8	89	((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
L7	160	((edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
L6	250	(((((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)) and (character\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:32
S8	58	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:31

L5	7	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))) not ((( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:31
L4	18	(( (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:31
L3	160	((edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:31
L1	44	((start near4 tag) and (end near4 tag)) near7 (number\$2 symbol\$2 identifier\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 13:05
S95	1821	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/09 13:59
S94	1	"6330574".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:07
S93	4315	707/100,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:06
S92	1510	707/5.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 13:31
S91	2616	707/102.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 13:28
S90	3367	707/5, "102".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 13:28

S89	177	S88 and html	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:03
S88	14512	S87 and @ad<"19990531"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:02
S87	24107	((unique\$2 id\$2 number\$2 letter\$2) same (((start\$4 and end\$4) near3 tag\$2) (anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 09:02
S85	26	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) near3 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 08:54
S84	17400	((unique\$2 id\$2 number\$2 letter\$2) near5 (attach\$4 associat\$4 embed\$4 includ\$4)) same ((start\$4 and end\$4) tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 17:05
S1	17952	(creat\$4 same (card\$2 (greeting near2 card\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/25 11:02
		"10" and (character\$2 tag\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/25 11:02
S83	1	"6230173".pn. and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:26
S82	1	"6230173".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:26
S81	1	("5649218".pn. "6526410".pn.) and pointer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:26
S80	2	"5649218".pn. "6526410".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:11
S79	0	"6526410".pn. and link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 16:11

S78	1	"6526410".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:55
S77	0	"5649218".pn. and link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:55
S76	1	"5649218".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 15:39
S75	0	"5745745".pn. and "200"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 12:03
S74	0	"5745745".pn. and "210"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 12:03
S73	1	"5745745".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 12:03
S69	223	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same (((start begin\$4) and end\$4) near2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/24 08:52
S71	18	((number\$2 integer leter id\$2 identifier\$2 indicator\$2) near5 (((start begin\$4) and end\$4) near2 tag\$2)) and unique	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:47
S70	29	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) near5 (((start begin\$4) and end\$4) near2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:46
S68	2115	(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same ((start begin\$4) and end\$4) same tag\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:40
		(number\$2 integer leter id\$2 identifier\$2 indicator\$2) same ((start begin\$4) and end\$4) near2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/23 16:40
S66	24	(((((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor))) and (end near5 (tag anchor)))) and table) and ((id identifier identification number) near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:12



S64	77	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:11
S61	68	(select\$4 near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:10
S60	11	(select\$4 near5 (character near3 string\$2)) and (start near5 (tag anchor)) and (end near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:10
S63	17615	"707"/.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:09
S62	54	((select\$4 near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and ((id number name identifier identification) near5 (tag anchor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/26 08:09
S59	1	("6526410" "5649218").pn. and format\$\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:58
S50	2	("6526410" "5649218").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:37
S58	1	"6230173".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:18
S57	0	"5745745".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:18
S56	1	"5745745".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:15
S55	1	"5802529".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:15
S54	1	"5802529".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:12

S52	1	"5553216".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 16:12
S53	1	"5553216".pn. and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 15:57
S51	0	((("6526410" "5649218").pn.) and link\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 15:56
S49	316	(715/513.ccls. and (tag\$2 anchor\$2)) and ((id identification identifier number name) near4 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 15:55
S48	710	715/513.ccls. and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:27
S47	1159	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:26
S41	765	(assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:07
S39	846	(start near5 tag\$2) and (end near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:01
S38	28	((nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)) not (((nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)) and id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 09:00
S37	22	((nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)) and id	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:57
S36	50	(nonoverlap\$4 non-overlap\$4 (non adj overlap\$4)) near5 (tag anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:56
S33	369	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:24

S32	1082	(overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:24
S31	104	((document adj area\$2) and (tag\$2 anchor\$2)) and (edit\$4 modif\$6 chang\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:22
S30	1	((((document adj area\$2) and (tag\$2 anchor\$2)) and (edit\$4 modif\$6 chang\$4)) and (character near5 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:19
S29	104	(document adj area\$2) and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:18
S28	1083	document adj area\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:18
S27	11387	document near4 area\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:17
S25	0	((((prepar\$4 near5 tag\$2) near5 table\$2) same (edit\$4 near5 document\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:12
S24	1	("5649218".pn. and edit\$4) and (tag\$2 character\$2 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:11
S23	1	"5649218".pn. and edit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 08:01
S21	1	"5649218".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/25 07:56
S22	1	"5649218".pn. and omit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 16:06
S18	309	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and ((start end) near5 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 15:02

S10	1310	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:10
S15	341	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:07
S13	497	tag\$2 near5 overlap\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 13:07
S11	13	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (edit\$4 near5 (character\$2 (character near3 sequence\$2))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 12:41
S9	58	(((((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)) and (tag\$2 anchor\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 12:32
S7	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:35
S6	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S5	3138	(edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S4	156	((edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and ((edit\$4 modif\$5) near5 (character\$2 tag\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34
S3	437	((edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:34

S2	1050	(edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/11/24 10:33
----	------	---	---	----	----	------------------